INDEX OF AUTHORS
Volume 29, 1989

A

Adachi, K. See Kawakami, K.
Akita, K.
Effect of the electrolyte on the mass transfer characteristics of a bubble column 127
Arai, N. See Ninomiya, Y.
Asano, M. See Kitamura, Y.
Aznar, M.P. See Corella, J.

B

Bak, Y.C., Son, J.E., and Kim, S.D.
Heat transfer characteristics of a vertical tube in a fluidized-bed combustor 166
Bando, Y. See Nishimura, M.
Bataille, P. See Toussaint, P.
Berger, R.
Coalescence problems in chemical processes...377
Borgwardt, V., Petroll, J., and Scholtz, J.
The effect of particle size on the efficiency of separation by an electrostatic precipitator 212
Boussinesq, J.
Calculation of the cooling power of fluid currents 343
Boukhalfa, A., Sarh, S., and Gokalp, I.
The use of Rayleigh scattering to measure instantaneous temperatures in turbulent flames 654
Brauer, H. See Hong, W.-H.
Brauer, H. See Maruoka, Y.
Bürkholz, A.
Description of particle collection by inertial forces using a group derived by dimensional analysis...26

C

Calu, M.P. and Lameloise, M.L.
The interpretation of residence-time distribution measurements in flow of variable density. Applications in the modeling of a climbing-film evaporator for the sugar industry 424
Čerňanský, A.
Maximum dimensions of particles passing through a diaphragm for filtration.....182
Chevalier, J.L., Petrino, P., and Gaston-Bonhomme, Y.
Method of estimating the kinematic viscosity of a liquid-phase mixture.....464
Corella, J., Aznar, M.P., and Monzon, A.
Kinetics of catalyst deactivation by nonsimple mechanisms with adsorption/association at two or more active sites 86

D

Degiovanni, A., Sinicki, G., Gery, A., and Laurent, M.
A steady state model of the thermal resistance due to contact between cylinders 57
Degiovanni, A. See Hadi, A.
Ding, F. See Yuan, N.
Dodds, J.A. See Fam, D.
Doh, D.-S. See Kwon, S.-G.
Dong, W., Yan, H., and Zhang, L.
Dynamic simulation for a multistage countercurrent extraction process.....765

E

Eigenberger, G. and Schuler, H.
Reactor stability and safe reaction engineering..... 12

F

Fam, D., Dodds, J.A., Leclerc, D., and Scrivener, O.
Theological characterization and pipe flow of phosphate muds 455
Feng, C.
Thermal stability of a continuous-flow stirred-tank reactor (CSTR) under stationary-state nonadiabatic conditions 743
Fu, Y. See Hu, X.
Fujiwara, A. See Munakata, T.
Fukui, T., Watanabe, N., Kurimoto, H., and Matsubara, M.
Multivariable, periodic control experiments with a consecutive-competitive reaction in a CSTR 295
Furusaki, K. See Ueyama, K.

G

Gaston-Bonhomme, Y. See Chevalier, J.L.
Gery, A. See Degiovanni, A.
Gokalp, I. See Boukhalfa, A.
Gu, D. See Huang, W.

H

Hadi, A. and Degiovanni, A.
Transient measurement of the heat transfer coefficient along a fin in an enclosed space 72
Hahne, E.W.P. See Nishimura, M.
Halpin, J. See Odgers, J.
Hanika, J. See Tukac, V.

INDEX OF AUTHORS
Volume 29, 1989

A

Adachi, K. See Kawakami, K.
Akita, K.
Effect of the electrolyte on the mass transfer characteristics of a bubble column 127
Arai, N. See Ninomiya, Y.
Asano, M. See Kitamura, Y.
Aznar, M.P. See Corella, J.

B

Bak, Y.C., Son, J.E., and Kim, S.D.
Heat transfer characteristics of a vertical tube in a fluidized-bed combustor 166
Bando, Y. See Nishimura, M.
Bataille, P. See Toussaint, P.
Berger, R.
Coalescence problems in chemical processes...377
Borgwardt, V., Petroll, J., and Scholtz, J.
The effect of particle size on the efficiency of separation by an electrostatic precipitator 212
Boussinesq, J.
Calculation of the cooling power of fluid currents 343
Boukhalfa, A., Sarh, S., and Gokalp, I.
The use of Rayleigh scattering to measure instantaneous temperatures in turbulent flames 654
Brauer, H. See Hong, W.-H.
Brauer, H. See Maruoka, Y.
Bürkholz, A.
Description of particle collection by inertial forces using a group derived by dimensional analysis...26

C

Calu, M.P. and Lameloise, M.L.
The interpretation of residence-time distribution measurements in flow of variable density. Applications in the modeling of a climbing-film evaporator for the sugar industry 424
Čerňanský, A.
Maximum dimensions of particles passing through a diaphragm for filtration.....182
Chevalier, J.L., Petrino, P., and Gaston-Bonhomme, Y.
Method of estimating the kinematic viscosity of a liquid-phase mixture.....464
Corella, J., Aznar, M.P., and Monzon, A.
Kinetics of catalyst deactivation by nonsimple mechanisms with adsorption/association at two or more active sites 86

D

Degiovanni, A., Sinicki, G., Gery, A., and Laurent, M.
A steady state model of the thermal resistance due to contact between cylinders 57
Degiovanni, A. See Hadi, A.
Ding, F. See Yuan, N.
Dodds, J.A. See Fam, D.
Doh, D.-S. See Kwon, S.-G.
Dong, W., Yan, H., and Zhang, L.
Dynamic simulation for a multistage countercurrent extraction process.....765

E

Eigenberger, G. and Schuler, H.
Reactor stability and safe reaction engineering..... 12

F

Fam, D., Dodds, J.A., Leclerc, D., and Scrivener, O.
Theological characterization and pipe flow of phosphate muds 455
Feng, C.
Thermal stability of a continuous-flow stirred-tank reactor (CSTR) under stationary-state nonadiabatic conditions 743
Fu, Y. See Hu, X.
Fujiwara, A. See Munakata, T.
Fukui, T., Watanabe, N., Kurimoto, H., and Matsubara, M.
Multivariable, periodic control experiments with a consecutive-competitive reaction in a CSTR 295
Furusaki, K. See Ueyama, K.

G

Gaston-Bonhomme, Y. See Chevalier, J.L.
Gery, A. See Degiovanni, A.
Gokalp, I. See Boukhalfa, A.
Gu, D. See Huang, W.

H

Hadi, A. and Degiovanni, A.
Transient measurement of the heat transfer coefficient along a fin in an enclosed space 72
Hahne, E.W.P. See Nishimura, M.
Halpin, J. See Odgers, J.
Hanika, J. See Tukac, V.

Harada, E., Kuriyama, M., and Konno, H.
Heat transfer between the wall and a solid-liquid suspension flowing through a horizontal, rectangular duct 671
Harada, E. See Kuriyama, M.
Hasatani, M. See Ninomiya, Y.
Hasatani, M. See Tabei, K.
Hayakawa, K. See Taoda, H.
Hiraoka, S. See Mori, H.
Hoffmann, U. and Löwe, A.
Behavior of catalytic exhaust converters from the standpoint of reaction engineering 1
Honda, T. See Watanabe, T.
Hong, W.-H. and Brauer, H.
Gas-liquid mass transfer in bubble-column reactors.....388
Hu, W. and Fu, Y.
Investigation of chemisorption and disproportionation of CO and its reaction with H_2O by temperature-programmed heating 753
Huang, H. and Zhang, B.
The similarity between the gas-phase C-H_2O and C-CO_2 reactions in the same catalytic systems for gasification 760
Huang, W. and Gu, D.
A study of secondary flow and fluid resistance in a rectangular, helically coiled channel...480

I

Ikemizu, K. See Morooka, S.
Inoue, H. See Okubo, T.
Ito, T. See Shirato, M.
Iwata, M. See Shirato, M.

J

Jeday, M.R., Steranka, P., and Le Goff, P.
Mixomechanical machines: 3. Evaluation of the total cost for the storage of electricity...231
Jusforgues, P. See Perrut, M.

K

Kakata, Y. See Kasaoka, S.
Kamiwano, M., Saito, F., Kurata, Y., and Takino, H.
Method for measurement of turbulence by high-speed image-processing using an area-array sensor 699
Kanzawa, A. See Watanabe, T.
Kasaoka, S. Sakata, Y., Tanaka, E., and Naitoh, R.
Design of molecular-sieve carbon. Studies on the adsorption of various dyes in the liquid phase 734
Kasaoka, S. Sakata, Y., Tanaka, E., and Naitoh, R.
Preparation of activated fibrous carbon from phenolic fabric and its molecular-sieve properties.....101
Kast, W. and Otten, W.
The breakthrough in fixed-bed adsorbers: methods of calculation and the effects of process parameters 197
Katayama, T. See Ohgaki, K.
Kato, Y. See Morooka, S.
Kawai, Y., Kikuma, T., Matsumoto, S., and Suzuki, M.
Control of the axial temperature distribution in a moving-bed adsorber 152
Kawakami, K., Adachi, K., Minemura, N., and Kusunoki, K.
Characteristics of a gas-liquid-solid, three-phase, honeycomb-monolith bioreactor. Oxidation of glucose by immobilized glucose oxidase.....320
Kawano, T. See Nishiyama, M.
Kikuma, T. See Kawai, Y.
Kim, S.D. See Bank, Y.C.
Kimura, S. See Nomura, T.
Kind, M. See Mersmann, A.
Kinoshita, M. See Takamatsu, T.
Kitamura, Y. Asano, M., and Takahashi, T.
Stability of emulsions made from kerosene and aqueous solutions of alcohol. Utilization of aqueous solutions of alcohol as an emulsified fuel 547
Kobata, A. See Morooka, S.
Konno, H. See Harada, E.
Konno, H. See Kuriyama, M.
Kretschmer, D. See Odgers, J.
Krylov, O.V.
The selectivity and molecular structure of heterogeneous catalysts 246
Kunc, T. See Lallemand, M.
Kuraishi, M. See Nishimura, M.
Kurata, Y. See Kamiwano, M.
Kurimoto, H. See Fukui, T.
Kuriyama, M., Harada, E., and Konno, H.
Enhancement of heat transfer from horizontal tube-banks by the use of a corona wind 715
Kuriyama, M. See Harada, E.
Kuroda, C. See Ogawa, K.
Kuroda, M. See Tabei, K.
Kusonoki, K. See Kawakami, K.
Kwon, S.-G. and Doh, D.-S.
A theoretical and experimental study on the enhancement of the rate of mass transfer by the addition of suspended inert particles 555

L

Lallemand, M., Kunc, T., and Martinet, J.
Thermo-convective stability in radiating fluids 473
Laurent, M. See Degiovanni, A.
Leclerc, D. See Fam, D.
Le Goff, P. and Steranka, P.
Mixomechanical machines: 1. General principles. Mechanical vapor-recompression and its inverse..... 38

Le Goff, P. See Jeday, M.R.
Le Goff, P. See Steranka, P.
Löwe, A. See Hoffmann, U.

M

Martinet, J. See Lallemand, M.
Matsumoto, S. and Yoshida, M.
A method of design for a controller for a parabolic-type, distributed-parameter system. Application to one-dimensional thermal conduction.....158
Matsumoto, S. See Kawai, Y.
Maruoka, Y. and Brauer, H.
Fluid dynamics and mass transfer in a multistage rotating-disk reactor.....577
Matsubara, M. See Fukui, T.
Minemura, N. See Kawakami, K.
Moriya, A. See Mori, H.
Mori, H., Yamada, I., Hiraoka, S., Tsuiki, T., and Moriya, A.
A relaxation algorithm for solving operation-type distillation problems with a chemical reaction...328
Morooka, S., Kobata, A., Yasutake, T., Ikemizu, K., and Kato, Y.
The size of ultrafine nickel and molybdenum particles produced by gas-phase reaction.....517
Mersmann, A. and Kind, M.
Modeling of chemical process equipment. The design of crystallizers.....616
Monzon, A. See Corella, J.
Morooka, S., Yasutake, T., Kobata, A., Ikemizu, K., and Kato, Y.
A mechanism for the production of ultrafine particles of TiO_2 by a gas-phase reaction...119
Munakata, T. and Fujiwara, A.
A method of evaluating the actual number of stages in interphase-contacting, multistage, mass transfer devices based on the transfer-unit concept, without using the number of ideal stages or the overall efficiency.....530
Muramatsu, T. See Shishido, I.
Murase, T. See Shirato, M.

N

Naitoh, R. See Kasaoka, S.
Nakagawa, K.
Measurement of diameter of bubbles in a bubble swarm in water by the response to a sound-pulse method.....729
Nakao, S. See Nomura, T.
Ninomiya, Y., Yokoi, K., Arai, N., and Hasatani, M.
Characteristics of emission of char NO during the combustion of a single particle of coal char.....512
Nishimura, M., Bando, Y., Kuraishi, M., and Hahne, E.W.P.
Direct storage of solar thermal energy using a semitransparent PCM—an indoor experiment under constant incidence of radiation.....722
Nishiyama, M., Kawano, T., Ototake, N., and Yutani, N.
Fluctuations in static pressure and the mode of flow in a three-phase fluidized bed.....287
Nomura, T., Nakao, S., and Kimura, S.
Influence of the temperature of the feed on ultrafiltration.....707
Nonomura, A. See Shirotsuka, T.

O

Obata, E. See Takahashi, H.
Odgers, J., Halpin, J., and Kretschmer, D.
Prediction of the lower limits of combustion of premixed gases.....48
Ogawa, K. and Kuroda, C.
A method of measuring the flow in pipelines...115
Ohgaiki, K., Tsukahara, I., Semba, K., and Katayama, T.
A fundamental study of extraction with a supercritical fluid. Solubilities of α-tocopherol, palmitic acid, and tripalmitin in compressed carbon dioxide at 25 °C and 40 K.....302
Ohtani, S. See Shishido, I.
Okubo, T. and Inoue, H.
Analysis of surface diffusion of adsorptive gases through porous glass by a square-pulse method.....539
Okuda S., Takano, H., and Yamamura, T.
Characteristics of multiple light-scattering from highly concentrated, monodispersed aerosols...689
Onoe, K. See Shirotsuka, T.
Ostrovskii, G.M., Zyskin, A.G., and Snagovskii, Yu. S.
Construction of kinetic models for complex heterogeneous reactions with the aid of a digital computer.....435
Otten, W. See Kast, W.
Ototake, N. See Nishiyama, M.

P

Perrut, M. and Jusforgues, P.
A new fractionation process: preparative chromatography with a supercritical eluent.....646
Petrino, P. See Chevalier, J.L.
Petroll, J. See Borgwardt, V.

S

Sadakata, M. See Saito, M.
Saito, F. See Kamiwano, M.
Saito, M., Sadakata, M., Sato, M., and Sakai, T.
Measurement of the temperature of burning, pulverized coal, using a high-speed, two-color pyrometer.....494

Sakai, T. See Saito, M.
Sakata Y. See Kasaoka, S.
Sarh, S. See Boukhalfa, A.
Sato, M. See Saito, M.
Scholtz, J. See Borgwardt, V.
Schuler, H. See Eigenberger, G.
Scrivener, O. See Fam, D.
Semba, K. See Ohgaki, K.
Shirato, M., Murase, T., Iwata, M., Ito, K., Takagi, N., and Yoshida, H.
Efficiency of separation of a dilute slurry in an electric field in a horizontal, rectangular settling tank with fins 136
Shirato, M., Yamazaki, H., Murase, T., Iwata, M., and Ito, T.
Effect of the rotor shape on the pattern of flow in a dynamic filter chamber without premeation ... 271
Shirotsuka, T., Onoe, K., and Nonomura, A.
Kinetic analysis of molecular-weight distribution in coal liquefaction. Effect of lowering of the molecular weight or primary liquefied oil 279
Shishido, I., Muramatsu, T., and Ohtani, S.
Local moisture content and stress distribution within clay during drying shrinkage 486
Sinicki, G. See Degiovanni, A.
Snagovskii, Yu. S. See Ostrovskii, G.M.
Son, J.E. See Bak, Y.C.
Steranka, P. and Le Goff, P.
Mixomechanical machines: 2. Examples of applications to the storage of electricity 221
Steranka, P. See Jeday, M.R.
Steranka, P. See LeGoff, P.
Suzuki, M. See Kawai, Y.

T

Tabei, K., Hasatani, M., and Kuroda, M.
Effective gas-liquid interfacial area in a mobile-bed contactor 679
Takagi, N. See Shirato, M.
Takahashi, H., Obata, E., and Takeuchi, T.
Velocity discontinuity of particles flowing down through a hopper, with analysis of the characteristic curves 503
Takahashi, T. See Kitamura, Y.
Takamatsu, T. and Kinoshita, M.
Comparison of methods of calculation for stagewise processes of separation using the Newton-Raphson algorithm 309
Takano, H. See Okuda, S.
Takeuchi, T. See Takahashi, H.
Takino, H. See Kamiwano, M.
Tanaka, E. See Kasaoka, S.
Taoda, H. and Hayakawa, K.
Thermal oxidative aging of pentaery-thritol used as a latent-heat-type thermal storage material 144
Toussaint, P. and Bataille, P.
Utilization of biomass by the enzymatic method 627
Tsuiki, T. See Mori, H.
Tsukahara, I. See Ohgaki, K.
Tsuru, T. See Ueyama, K.
Tukac, V. and Hanika, J.
The effect of mass transfer on the oxidation of ethanol in a trickle-bed reactor 177

U

Ueyama, K., Tsuru, T., and Furusaki, K.
Flow transitions in a bubble column 523

W

Watanabe, T., Honda, T., and Kanzawa, A.
Concentration of a plasma energy flow by a blowing gas 663
Watanabe, N. See Fukui, T.

Y

Yamada, I. See Mori, H.
Yamamura, T. See Okuda, S.
Yamazaki, H. See Shirato, M.
Yan, H. See Dong, W.
Yasutake, T. See Morooka, S.
Yokoi, K. See Ninomiya, Y.
Yoshida, M. See Matsumoto, S.
Yoshida, H. See Shirato, M.
Yu, M. and Zhou, Z.
Determination of mass transfer coefficients on trays 747
Yuan, N. and Ding, F.
A new approximate analytical method for the estimation of the effectiveness factor of porous pelletized catalysts. The equivalent reaction-temperature approximation 336
Yutani, N. See Nishiyama, M.

Z

Zhang, B. See Huang, H.
Zhang, L. See Dong, W.
Zhou, Z. See Yu, M.
Zyskin, A.G. See Ostrovskii, G.M.